

TAMPER-EVIDENT

SECURITY LABELS

Security labels are a tamper-evident laminate that "voids" when removed.

They designed for use on cardboard boxes in the packaging industry and other similar surfaces.

Applications:

Bags
 Retail Applications
 Courier
 Goods-in-transit
 Postal
 Banking



PREVENTION · PROTECTION · PEACE OF MIND



MEGA FOR
















VIEW APPLICATION GIF



Attention:

It is important to observe and follow the proper sealing methods in order to achive the optimum results.

1 Clean the surface area where you want to apply the label using a clean and dry cloth with special attention for the following conditions:

Wet Conditions:

Using circular motions, wipe the surface repeatedly to ensure it is totally dry before applying the label.

Oily Conditions:

Using a clean cloth damped with a mild detergent, wipe the surface to remove all traces of oil and follow by a dry cloth before applying the label.

Dusty Conditions:

Using a clean and dry cloth, remove all surface dust or grime before applying the label.

Extreme Cold Conditions:

Using a clean and dry cloth, clean the surface by rubbing hard with circular motions, to remove all traces of frozen moist and immediately apply the label before a new layer of frost is formed.

2 Using the same dry cloth, press the label firmly using sideways motion repeatedly, to remove all trapped air.

SUITABLE APPLICATION SURFACES

Partial Transfer System	Non Transfer System	Total Transfer System
MEGA FORTRIS GROUP PARTIAL TRANSFER RED (SC) Size: 30 × 78 mm Sample 00039 MEGA FORTRIS GROUP FARTIAL TRANSFER RED (SC) Size: 30 × 78 mm Sample 00039	Security Label Code GM_ST	MEGA FORTRIS GROUP TOTAL TRANSFER BLUE (SCBN) Size : 30 x 78 mm Sample 00030 MEGA FORTRIS GROUP TOTAL TRANSFER BLUE (SCBN) Size 30 x 78 mm (s 00030
SPECIFCATIONS	SPECIFCATIONS	SPECIFCATIONS
- Does not leave a residue after removal.	- Does not leave a residue after removal.	- Does not leave a residue after removal.
- Heat and freeze-resistant, and resistant to freon gas.	- Heat and freeze-resistant, and resistant to freon gas.	- Heat and freeze-resistant, and resistant to freon gas.
TYPICAL APPLICATIONS	TYPICAL APPLICATIONS	TYPICAL APPLICATIONS
- Metal (Polished or Chrome Plated or Painted)	- Metal (Polished or Chrome Plated or Painted)	- Fibre board
- Smooth surfaced plastics (including PP)	- Smooth & hard surfaced plastics (except PP)	- Smooth surfaced plastics (including PP)
- Glass	- Glass	- Glass
- Laminated surfaces	- Laminated surfaces	- Laminated surfaces
- Fibre board		- Wood (lacquered or painted)
- Corona treated plastic bags/sheets		
- Wood- Lacquered or painted		
- Oil-free rubber surface		

Updated Date : 30 March 2022